NUMBER	ITEMS	NOT REQ'D	NOT DONE	SATISFIED	Grading & Drainage Custom Lots REVIEW # BY DATE Location in Standards
1	Review general checklist				See web site
2	COG General Notes for G&D				0.6.5, 2.1.4(B.10.c), 2.1.5(A.1), 2.1.10, Ex No 2
3	HOA approval letter (prior to G&D approval)				Dated within one year, states Final Grading & Drainage approval, and need new letter if design changes substantially
4	Submit SWPPP & NOI for lots > 1 Acre disturbed (BMP exhibit req'd if < 1 Acre)				, , , , , , , , , , , , , , , , , , ,
	ROW & P.U.E. shown & dimensioned Side yard P.U.E. (check final plat)				2.1.8(B.4), 3.2.1(A), 4.1.3(B.2) (no walls in P.U.E (wood or chain is ok) 2.1.3(D)
	Scale 1"=10' or 1"=20' preferred (1=40 min)				
7	Add note: "All Ret Walls shall be submitted to Building Safety for permit & inspection. Ret Wall are for Reference Only."				3.2.1(C.4), 3.2.1(D), 4.1.5(B.2.b)
8	Building Envelope & Building Setbacks shown				Per approved Final Plat and Site Plan
9	Existing Contours and Elevations				2.1.5(B.3), 2.1.8(B.3), G-3110-1
10	Existing Drainage Ditches, etc.				2.1.5(B.3), 2.1.8(B.3), G-3110-1
11	No walls obstructing Historical flow				
12	Existing 404 wash to be left in natural state, unless 404 permit allows for dirturbance				3.3.5(C.1), 3.3.7(B), 3.3.7(D.1)
13	Ex & Proposed Sidewalk, Curb & Gutter				2.1.5(B.3), G-3110-1
14	All of project is shown				
15	Impacts to adjacent properties				1.1.3(B.1), 3.3.2(A), 3.3.3(C)
16	Sufficient Adjacent Topo shown				2.1.8(B.3)
17	Outfall elevations shown				3.3.6(C.5)
	Finished floor & pad elevations shown FF is 18" over outfall of site, and 1' above HWE				0.6.5(D), 3.2.1(B.3), G-3570
19	TC Elevations at front lot line				

NUMBER	ITEMS	NOT REQ'D	NOT DONE	SATISFIED	Grading & Drainage Custom Lots REVIEW # DATE Location in Standards
20	Minimum lot slope is 1%, and per IRC	1			0.6.5(D), 3.2.1(C.2)
20	code				<u> </u>
21	Max two driveways per lot, one per				<u>G-3238</u>
00	street frontage				
22	Driveway slope not to exceed 12%	Ш	Ш	Ш	
23	No on lot retention on lots < one acre				3.2.1(C.3)
24	No common drainage facility that must				3.2.1(C.5), 3.3.7(A.2)
	be maintained by an individual property				
25	owner Check if individual sewer lift station is				
45	required (if lot is lower than street or if			ш	
	FF is lower than the upstream manhole				
	rim)				
26	Water & Sewer services shown				
27	Is upgrade to water service or meter				Or provide a Water Design Report
	required for size of house proposed or				
	state on plans that ex service and meter				
0.0	are adequate				
28	Look at Site Plan in Planning's Custom Lot binder	Ш	Ш	Ш	
29	Verify 404 wash in US Army Corps of				US Army Corps of Eng document
	Eng document				
30	No combined retwall and privacy wall to				Per EMR Custom Home Residential Design
	be > than 7'-6" not > than 6' along a				Guidelines
0.1	common property line				P PMP C + H P :1 (:1P :
31	6' max retwall, to be terraced with 6' horz offset	Ш	Ш	Ш	Per EMR Custom Home Residential Design Guidelines
32	3:1 max slope or 6' max cut or fill face	Ы			Per EMR Custom Home Residential Design
	-				Guidelines
33	Driveway widths at curb no greater than 16' wide				Per EMR Custom Home Residential Design Guidelines
34	Check driveway material (uncolored				Per EMR Custom Home Residential Design
	concrete, asphalt, or gravel not allowed)				Guidelines
35	No grading or improvements within the				No grading outside building envelope or allowed
	Natural Area				within BSL plus 5'. For example BLS is 10' then no grading for 15'. Per EMR Custom Home
					Residential Design Guidelines

R		REQ'D	DONE	园	Grading & Drainage Goodyear Custom Lots
BE		RE	DC	SF	REVIEW #
NUMBER		NOT	NOT	AT	BY DATE
Z	ITEMS	N	N	Ø	Location in Standards
		_			
36	Route review to planning				
37	Landscape plans submitted				Per EMR Custom Home Residential Design